

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|------------------------|------------------|---------|------------------|
| S1 | 5 | ((("4655077") or ("4884434") or ("4945770") or ("5758970") or ("6510729")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/09/16 11:50 |
| S2 | 1572 | ((73/86) or (73/768) or (73/763) or (73/7)).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/09/16 12:42 |
| S3 | 24967 | flexible near10 (pcb (printed adj circuit adj board) (circuit adj board)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 12:43 |
| S4 | 7 | S3 and S2 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 12:43 |
| S5 | 10689 | kapton | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 12:43 |
| S6 | 8 | S5 and S2 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 12:43 |
| S7 | 0 | S3 same (wear near5 sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:06 |
| S8 | 0 | S3 same (wear near10 sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:07 |
| S9 | 24967 | flexible near10 (pcb (printed adj circuit adj board) (circuit adj board)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:08 |
| S10 | 0 | S9 same ((erosion wear) near10 sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:08 |
| S11 | 0 | S9 same ((erosion wear) with sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:09 |
| S12 | 160 | S9 and ((erosion wear) with sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:09 |
| S13 | 112 | S9 and ((erosion wear) near5 sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:09 |
| S14 | 0 | ("2007/0163325").URPN. | USPAT | OR | ON | 2008/09/16 13:10 |
| S15 | 13 | ("3836834" "4129848" "4432247" "4722609" "4744241").PN. OR ("4945770").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:10 |
| S16 | 21 | ("3958445" "4143319" "4184145" "4646001" "4655077").PN. OR ("4884434").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:10 |

| | | | | | | |
|-----|-------|--|------------------------|----|-----|------------------|
| S17 | 24 | ("2110079" "2991439" "3078707" "3307401" "3532797" "4442706" "4448062").PN. OR ("4655077").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:10 |
| S18 | 1 | radziszewski-peter.in. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:28 |
| S19 | 1 | martins-sudarshan.in. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:28 |
| S20 | 1 | benson-coleman.in. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:28 |
| S21 | 720 | wear adj sensor | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:31 |
| S22 | 1572 | ((73/86) or (73/768) or (73/763) or (73/7)).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/09/16 13:31 |
| S23 | 12 | S22 and S21 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:31 |
| S24 | 56026 | ball near15 mill | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:35 |
| S25 | 6 | S24 and S21 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:35 |
| S26 | 24 | ("2110079" "2991439" "3078707" "3307401" "3532797" "4442706" "4448062").PN. OR ("4655077").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:44 |
| S27 | 132 | flexible with wear with sensor | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:53 |
| S28 | 0 | kapton with (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:56 |
| S29 | 0 | kapton same (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:56 |
| S30 | 0 | kapton and (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:57 |
| S31 | 1190 | wear near5 loop | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:58 |
| S32 | 479 | flexible and S31 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:58 |
| S33 | 38 | epoxy and S32 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 13:58 |
| S34 | 1 | lifter and (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:07 |
| S35 | 27 | mill and (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:07 |
| S36 | 32 | mill and ((wear erosion abrasion) adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:07 |

| | | | | | | |
|-----|-------|--|---------------------------|----|-----|---------------------|
| S37 | 34 | cement and ((wear erosion abrasion) adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:07 |
| S38 | 3 | ("4559600" "5864241"). PN. OR ("6471449"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:08 |
| S39 | 10 | substrate with ((wear erosion abrasion) adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:09 |
| S40 | 4 | gunnar and gissel | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:12 |
| S41 | 0 | ("2007/0255509").URPN. | USPAT | OR | ON | 2008/09/16 14:19 |
| S42 | 0 | ("2003/0006896").URPN. | USPAT | OR | ON | 2008/09/16 14:19 |
| S43 | 24 | (flexible with substrate) and ((wear erosion abrasion) adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:19 |
| S44 | 0 | ("2008/0135147").URPN. | USPAT | OR | ON | 2008/09/16 14:24 |
| S45 | 477 | (flexible with substrate) and (((wear erosion abrasion) adj sensor) (sense sensor conductive wire) adj loop) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:25 |
| S46 | 131 | (flexible with substrate) and (((wear erosion abrasion) adj sensor) (sense sensor conductive wire) adj loop) and (wear erosion abrasion) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:25 |
| S47 | 3 | ((("7000462") or ("6910372") or ("5749984"))).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/09/16 14:26 |
| S48 | 72790 | (ball rolling) near5 mill | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:35 |
| S49 | 3635 | S48 same (wear erosion abrasion breakage) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:36 |
| S50 | 22 | S48 same ((wear erosion abrasion breakage)with (sensor indicator indication sensing)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:36 |
| S51 | 116 | S48 and ((wear erosion abrasion breakage) near5 (sensor indicator indication sensing)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 14:37 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S52 | 16 | US-4655077-\$.DID. OR US-4884434-\$.DID. OR US-4945770-\$.DID. OR US-5758970-\$.DID. OR US-6510729-\$.DID. OR DE-03241994-\$.DID. OR DE-06091994-\$.DID. OR DE-06161994-\$.DID. OR EP-0369087-\$.DID. OR EP- 06221994-\$.DID. OR EP- 1052423-\$.DID. OR EP- 11152000-\$.DID. OR US- 2599831-\$.DID. OR US- 2192949-\$.DID. OR WO- 200045066-\$.DID. OR WO- 199506205-\$.DID. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/16 14:39 |
| S53 | 18 | (flexible with substrate) and (wear adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 15:26 |
| S54 | 386 | (printed adj circuit) and (wear near5 sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/09/16 15:27 |

9/ 17/ 2008 4:00:47 PM

C:\ Documents and Settings\ ggissel\ My Documents\ EAST\ Workspaces\ 10598412.wsp